



Ohio Department of Agriculture
and
Ohio Department of Health



Governor Ted Strickland
Lieutenant Governor Lee Fisher

ODA Director Robert J. Boggs
ODH Director Alvin D. Jackson, M.D.

To: Health Commissioners, Environmental Health Directors, Nursing Directors, ODA Food Safety Specialists, and Other Interested Parties

Subject: Recall Announcement (ODA/ODH) 2009-02a96

Date: March 28, 2009

Awrey Bakeries Recalls Select Cakes Because of Possible Health Risk

Awrey Bakeries, LLC is voluntarily recalling the lots identified below of the following products:

Product Code #7250	Marquise Chocolate Peanut Fantasy Cake	9" Round
Product Code # 7290	Marquise Cake Variety Assortment	#1 9" Round
Product Code #374520	Banana Split Ripple Cake	8" x 8"
Product Code #374521	Banana Split Ripple Cake	8" x 8"

On March 26, 2009 Awrey was notified by one of its suppliers that peanut pieces provided to Awrey 's during the period of January to May 2008 had been sourced from the Peanut Corporation of America (PCA) Plainview, Texas facility. Although Awrey has no evidence that there is a safety issue with these products, it is taking this action out of an abundance of caution because the PCA facility is the subject of an investigation by the U.S. Food and Drug Administration (FDA) concerning a recent salmonella outbreak.

These products were distributed nationwide to foodservice distributors and supermarkets and sold to consumers through Awrey Outlet Store.

Awrey Bakeries, LLC requests that customers check the lot numbers of any of the above-listed products they have purchased. The lot number can be found on the side of the case. If customers find that they have these products in their possession marked with any of the lot numbers listed below, they are asked not to consume the products. Customers seeking a replacement or refund for recalled products should return affected product to the distributor or store where it was purchased for a full refund.

Other varieties and lot numbers of Awrey Bakeries ' products are not affected by this recall.

If you have any questions, please contact Mark Foukes, Director of Quality Assurance and Sanitation at 1-866-743-7543. The affected lot numbers are:

- 022008 060308 020608
- 031808 061008 031108
- 032808 072408 050708
- 072808 042308 121208
- 040408 080108 020309
- 041008 091708 042508
- 041908 101708
- 112008 120308
- 050108